


















## VAREHENGERE RS-SERIEN

	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	8803	550M151T100 <b>RS 1505T</b>	1.45 x 0.95	550	111	439	Nei	Ja	Skrudd sammen	Torsjon	0,40	155R13 MS 4x100 500kg	6	<b>10 800</b>
	7371	750M201L125 <b>RS 2075L</b>	2.00 x 1.25	750	204	546	Nei	Ja	Skrudd sammen	Bladfjær	0,33	155R13 MS 4x100 500kg	6	<b>13 780</b>
	6970	750M251L150 <b>RS 2575L</b>	2.45 x 1.50	750	252	498	Ja, manuell	Ja	Skrudd sammen	Bladfjær	0,33	155R13 MS 4x100 500kg	6	<b>19 370</b>
	7007-P	750M271T125 <b>RS 2775TP</b>	2.65 x 1.25	750	190	560	Ja, manuell	Ja	Skrudd sammen	Torsjon	0,24	155R13 MS 4x100 500kg	8	<b>15 490</b>
	6479	750M301L150 <b>RS 3075L</b>	3.00 x 1.50	750	285	465	Ja, manuell	Ja	Skrudd sammen	Bladfjær	0,42	155R13 MS 4x100 500kg	6	<b>21 900</b>
	7173	750M351L150 <b>RS 3575L</b>	3.49 x 1.50	750	293	457	Ja, manuell	Ja	Skrudd sammen	Bladfjær	0,33	155R13 MS 4x100 500kg	6	<b>22 900</b>







## VAREHENGERE RS-SERIEN

	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	6915	1200M251T150 <b>RS 2512T</b>	2.45 x 1.50	1200	306	894	Ja, manuell	Ja	Skrudd sammen	Torsjon	0,33	155R13C MS 5x112 600kg	6	<b>28 770</b>
	7662	1350M301T150 <b>RS 3013T</b>	3.00 x 1.50	1350	337	1013	Ja, manuell	Ja	Skrudd sammen	Torsjon	0,33	185R14C MS 5x112 900kg	6	<b>30 460</b>
	16794	2000M302B150 <b>RS 3020B</b> <b>EXPECTED TYPE</b> <b>APPROVAL</b> <b>06.2023</b>	3.00 x 1.50	2000	447	1553	Ja	Ja	Sveiset	Balanserte bladfjærer	0,42	155R13 MS 4x100 500kg	5	<b>39 560</b>
	16791	2000M352B186 <b>RS 3520B</b> <b>EXPECTED TYPE</b> <b>APPROVAL</b> <b>06.2023</b>	3.49 x 1.86	2000	544	1456	Ja	Ja	Sveiset	Balanserte bladfjærer	0,42	155R13 MS 4x100 500kg	5	<b>47 290</b>
	7377	2000M332L150 <b>RS 3320L</b>	3.25 x 1.50	2000	510	1490	Nei	Ja	Sveiset	Double Bladfjær	0,42	155R13 MS 4x100 500kg	5	<b>44 080</b>




## VAREHENGERE RU-SERIEN










	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	16676	750 P241T150 <b>RU 2475</b> EXPECTED TYPE APPROVAL 06.2023	2.39 x 1.50	750	245	505	Nei	Ja	Skrudd sammen	Torsjon	0,33	155R13 MS 4x100 500kg	5	<b>19 950</b>
	15934	1200P241T150 <b>RU 2412</b> EXPECTED TYPE APPROVAL 06.2023	2.39 x 1.51	1200	297	903	Nei	Ja	Skrudd sammen	Torsjon	0,33	155R13C MS 5x112 600kg	5	<b>27 950</b>
	18357	2000P242T150 <b>RU 2420</b>	2.39 x 1.51	2000	351	1649	Nei	Ja	Skrudd sammen	Dobbelt Torsjon	0,33	155R13 MS 4x100 500kg	5	<b>33 490</b>
	18348	2000P332T150 <b>RU 3320</b>	3.25 x 1.50	2000	394	1606	Nei	Ja	Skrudd sammen	Dobbelt Torsjon	0,33	155R13 MS 4x100 500kg	5	<b>34 490</b>

## BILTRANSPORT









	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	7225	2000A402T185 <b>RB 4020AT</b>	4.00 x 1.82	2000	585	1415	Ja	Ja	Skrudd sammen	Dobbelt Torsjon	0,22	155R13 MS 4x100 500kg	4	<b>54 500</b>
	331	2700A452T205 <b>RB 4527AT</b>	4.50 x 2.05	2700	760	1940	Ja	Ja	Sveiset	Dobbelt Torsjon	0,20	185R14C MS 5x112 900kg	4	<b>66 050</b>
	5477	2700A492T205 <b>RB 4927AT</b>	4.90 x 2.05	2700	782	1918	Ja	Ja	Sveiset	Dobbelt Torsjon	0,20	185R14C MS 5x112 900kg	4	<b>67 630</b>
	336	3500A452T205 <b>RB 4535AT</b>	4.50 x 2.05	3500	873	2627	Ja	Ja	Sveiset	Dobbelt Torsjon	0,20	185R14C MS 5x112 900kg	4	<b>77 930</b>
	5479	3500A492T205 <b>RB 4935AT</b>	4.92 x 2.05	3500	877	2623	Ja	Ja	Sveiset	Dobbelt Torsjon	0,20	185R14C MS 5x112 900kg	4	<b>80 250</b>

## BILTRANSPORT









	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Side material	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	18430	3500F652T200 <b>RB 6535</b> NOT TYPE APPROVED	6.58 x 1.99 x 1.83	3500	1395	2105	Ja	Ja	Sveiset	Dobbelt Torsjon	Sandwich	185R14C MS 5x112 900kg	x	<b>273 630</b>
	18432	3500F652T240 <b>RB 6535XL</b> NOT TYPE APPROVED	6.65 x 2.43 x 2.00	3500	1686	1814	Ja	Ja	Sveiset	Dobbelt Torsjon	Sandwich	195/50 R13 MS 5x112 900kg	x	<b>292 780</b>

PLANHENDER														
	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	8165-1	2700P402T205 <b>RU 4027</b>	4.00 x 2.05	2700	664	2036	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>63 500</b>
	13207	3500P402T205 <b>RU 4035</b>	4.00 x 2.05	3500	735	2765	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>72 330</b>
	8870-1	2700P552T225 <b>RU 5527</b>	5.50 x 2.35	2700	845	1855	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>79 220</b>
	13205	3500P552T225 <b>RU 5535</b>	5.50 x 2.35	3500	962	2538	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>87 230</b>
	8541-1	2700P402T205 <b>RU 4027 med tilbehør</b>	4.00 x 2.05	2700	691	2009	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>76 840</b>
	6347	3500P402T205 <b>RU 4035 med tilbehør</b>	4.00 x 2.05	3500	783	2717	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>82 360</b>
	5767-1	2700P552T225 <b>RU 5527 med tilbehør</b>	5.50 x 2.35	2700	933	1767	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>89 880</b>
	6348	3500P552T225 <b>RU 5535 med tilbehør</b>	5.50 x 2.35	3500	997	2503	Nei	Ja	Sveiset	Dobbelt Torsjon	0,33	<b>195/50 R13 MS 5x112 900kg</b>	5	<b>97 640</b>




## SNØSCOOTERHENGERE

	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	5858	1000M351T150 <b>SC 3510</b>	3.50 x 1.50	1000	333	667	Ja, manuell	Ja	Skrudd sammen	Torsjon	0,33	155R13 MS 4x100 500kg	6	<b>30 360</b>
	5857	1350M351T150 <b>SC 3513</b>	3.50 x 1.50	1350	360	990	Ja, manuell	Ja	Skrudd sammen	Torsjon	0,33	185R14C MS 5x112 900kg	6	<b>33 060</b>
	7236	1350M371T186 <b>SC 3713</b>	3.70 x 1.86	1350	432	918	Ja, Skrutipp	Ja	Skrudd sammen	Torsjon	0,33	185R14C MS 5x112 900kg	4 + 2	<b>37 720</b>
	14986	1500M411L186 <b>SC 4115</b>	4.10 x 1.86	1500	503	997	Ja	Ja	Sveiset	Bladfjær	0,42	185R14C MS 5x112 900kg	5	<b>41 070</b>
	12700	1350M411T186 <b>SC 4113il / 4115il</b>	4.10 x 1.86	1350 (1500)	490	860 (1010)	Ja, Skrutipp	Ja	Sveiset	Bladfjær	0,18	185R14C MS 5x112 900kg	5	<b>45 420</b>
	12684	1350M451L195 <b>SC 4513il / 4515il</b>	4.50 x 1.95	1350 (1500)	536	814 (964)	Ja, Skrutipp	Ja	Sveiset	Bladfjær	0,18	185R14C MS 5x112 900kg	5	<b>47 990</b>
	12752	1350M491L220 <b>SC 4913il / 4915il</b>	4.90 x 2.20	1350 (1500)	576	774 (924)	Ja, Skrutipp	Ja	Sveiset	Bladfjær	0,18	185R14C MS 5x112 900kg	5	<b>51 590</b>









## SKAPHENGERE

	Nr	Modell	Loading area LxWxH (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Side material	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	17753	750F301L147-147 <b>RCR 3075-14</b>	2.97 x 1.44 x 1.47	750	399	351	Nei	Ja	Skrudd sammen	Bladfjær	Sandwich	155R13 MS 4x100 500kg	x	<b>53 540</b>
	15409	750F301L147-177 <b>RCR 3075-17</b>	3.00 x 1.44 x 1.74	750	410	340	Nei	Ja	Skrudd sammen	Bladfjær	Sandwich	155R13 MS 4x100 500kg	x	<b>60 950</b>
	13003	750F351L147-177 <b>RCR 3575-17</b>	3.50 x 1.44 x 1.74	750	444	306	Nei	Ja	Skrudd sammen	Bladfjær	Sandwich	155R13 MS 4x100 500kg	x	<b>64 880</b>
	15530	1500F351L147- 177 <b>RCR 3515- 17</b>	3.48 x 1.44 x 1.74	1500	547	953	Nei	Ja	Skrudd sammen	Bladfjær	Sandwich	185R14C MS 5x112 900kg	x	<b>77 510</b>
	13149- M	1500F401L183- 177 <b>RCR 4015- 17</b> <b>NORWAY EDITION</b>	4.00 x 1.83 x 1.77	1500	634	866	Nei	Ja	Skrudd sammen	Bladfjær	Sandwich	185R14C MS 5x112 900kg	x	<b>102 860</b>
	11115	1500F401L199- 190 <b>RCR 4015- 19</b>	4.00 x 1.99 x 1.90	1500	700	800	Nei	Ja	Skrudd sammen	Bladfjær	Sandwich	185R14C MS 5x112 900kg	x	<b>104 030</b>
	9205	2000F402L199- 190 <b>RCR 4020- 19</b>	4.0 x 1.99 x 1.90	2000	836	1164	Nei	Ja	Skrudd sammen	Double Bladfjær	Sandwich	185R14C MS 5x112 900kg	x	<b>109 240</b>




## SKAPHENGERE

	Nr	Modell	Loading area LxWxH (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Side material	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	18429	3500F652T200 <b>RCR 6535</b> NOT TYPE APPROVED	6.58 x 1.99 x 1.83	3500	1390	2110	Ja	Ja	Sveiset	Dobbelt Torsjon	Sandwich	185R14C MS 5x112 900kg	x	<b>242 390</b>
	18431	3500F652T240 <b>RCR 6535XL</b> NOT TYPE APPROVED	6.65 x 2.43 x 2.00	3500	1686	1814	Ja	Ja	Sveiset	Dobbelt Torsjon	Sandwich	195/50 R13 MS 5x112 900kg	x	<b>259 370</b>

## SPESIALHENGERE

	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	11470	1200M222JB-70 <b>RS 2212 ATV</b>	2.20 x 1.21	1200	284	916	Ja	Ja	Sveiset	Balanserte	x	280/65-8 36F 2PR	4	<b>27 570</b>
	9415	750S601T160 <b>RA 6075</b>	6.00 x 2.58	750	357	393	Nei	Ja	Sveiset	Torsjon	x	155R13 MS 4x100 500kg	x	<b>31 510</b>
	7663	1350S451T170 <b>RSH 4513</b>	4.53 x 1.70	1350	230	1120	Nei	Ja	Skrudd sammen	Torsjon	x	185R14C MS 5x112 900kg	8	<b>22 270</b>
	9325	1500S441T210 <b>RC 4415</b>	x	1500	479	1021	Ja	Ja	Sveiset	Torsjon	x	185R14C MS 5x112 900kg	5	<b>59 950</b>
	5866	2700S442T210 <b>RC 4427</b>	x	2700	580	2120	Ja	Ja	Sveiset	Dobbelt Torsjon	x	185R14C MS 5x112 900kg	5	<b>68 790</b>
	7547	2000S252T125 <b>RG 2520</b>	2.50 x 1.25	2000	401	1599	Nei	Ja	Sveiset	Dobbelt Torsjon	x	155R13 MS 4x100 500kg	5	<b>43 030</b>
	7511	2700S302T150 <b>RG 3027</b>	3.00 x 1.50	2700	493	2207	Nei	Ja	Sveiset	Dobbelt Torsjon	x	185R14C MS 5x112 900kg	5	<b>50 490</b>

## SPESIALHENGERE

	Nr	Modell	Lastemål LxB (m)	Totalvekt (kg)	Egenvekt (kg)	Nyttelast (kg)	Tipp	Nesehjul	Rammetype	Type aksling	Høyde s.karm (m)	Dekk / Felg type/ maks last (kg)	Antall henger pr. stabel (stk)	Pris (NOK) inkl. MVA 01.07.23
	6503	3500S322T170 <b>RM 3235</b> EXPECTED TYPE APPROVAL 06.2023	3.18 x 1.65	3500	811	2689	Nei	Ja	Bolt-joint	Double Torsion	0,18	185/70R13 MS 5x112 950kg	5	<b>77 780</b>
	16034	3500S382T180 <b>RM 3835</b>	3.81 x 1.81	3500	886	2614	Nei	Ja	Sveiset	Dobbelt Torsjon	0,25	185/70R13C MS 5x112 950kg	5	<b>84 830</b>